

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Friday, May 13, 2005

Hide? Set Name Query**Hit Count**

<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L10	L6	1
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L9	L8 and L1	1
<input type="checkbox"/>	L8	L7 and branch\$	41
<input type="checkbox"/>	L7	L6 and swap	50
<input type="checkbox"/>	L6	L3 and (hop\$ and paus\$)	217
<input type="checkbox"/>	L5	L3 and (hop near2 debug\$)	1
<input type="checkbox"/>	L4	L3 and hop instruction	4
<input type="checkbox"/>	L3	L2 or multiprocessor or multi?processor or (multiple near processor)	47890
<input type="checkbox"/>	L2	(micro?engine or microengine)	520
<input type="checkbox"/>	L1	717/124-133,149-161.ccls. or 712/226-230.ccls.	4699

END OF SEARCH HISTORY


Terms used **hop instruction**

Found 3 of 154,226

Sort results by

Display results

 [Save results to a Binder](#)
 [Search Tips](#)
☐ Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)


Results 1 - 3 of 3

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Migratory applications](#)

Krishna A. Bharat, Luca Cardelli

December 1995 **Proceedings of the 8th annual ACM symposium on User interface and software technology**

Full text available:  [pdf\(1.19 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: application checkpointing, application migration, collaborative work, interactive agents, mobile computing, safety, ubiquitous computing

2 [Performance monitoring: TEST: a tracer for extracting speculative threads](#)

Michael Chen, Kunle Olukotun

March 2003 **Proceedings of the international symposium on Code generation and optimization: feedback-directed and runtime optimization**

Full text available:  [pdf\(1.76 MB\)](#)  [Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Thread-level speculation (TLS) allows sequential programs to be arbitrarily decomposed into threads that can be safely executed in parallel. A key challenge for TLS processors is choosing thread decompositions that speedup the program. Current techniques for identifying decompositions have practical limitations in real systems. Traditional parallelizing compilers do not work effectively on most integer programs, and software profiling slows down program execution too much for real-time analysis. ...

3 [Modulo scheduling: Modulo schedule buffers](#)

Matthew C. Merten, Wen-mei W. Hwu

December 2001 **Proceedings of the 34th annual ACM/IEEE international symposium on Microarchitecture**

Full text available:  [pdf\(1.38 MB\)](#)  [Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

As VLIW/EPIC processors are increasingly used in real-time, signal-processing, and embedded applications, the importance of minimizing code size and reducing power is growing. This paper describes a new architectural mechanism, called the Modulo Schedule Buffers, that provides an elegant interface for the execution of modulo scheduled loops. While the performance is similar to that of kernel-only modulo scheduling, this mechanism has a number of advantages, including minimal code expansion. Rath ...

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



YAHOO! SEARCH [Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Products](#)
"hop instruction" debug

My Web BETA

[Shortcuts](#) [Advanced Search](#) [Preferences](#)

Search Results

Results **1 - 2** of about **2** for "**hop instruction**" **debug** - 0.29 sec. ([About this page](#))

1. [Chapter 4 Section 1 Writing your own Instructions for motion \(PDF\)](#) 
... 4-1-3. The **Hop instruction** has been defined in the Animation editor window ... Of course, it also makes the program much easier to. **debug** (when things go wrong ...
alcuin.plymouth.edu/~wjt/HonorsIntro/Alice/WritingInstructions.pdf - 724k - [View as html](#) - [More from this site](#)
2. [Architectures for mobile agents](#) 
... it with a local briefing. A **hop instruction** is used by agents to move from one site ... also some simple examples and some **debug** tools. LALO is available for ...
www.ida.liu.se/labs/iislab/courses/Agents/paper/chapter4.html - 40k - [Cached](#) - [More from this site](#)

[Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Products](#)
Your Search: "hop instruction" debug

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#) - [Job Openings](#)



Web

Results 1 - 7 of about 9 for "**hop instruction**" **debug**. (0.19 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] Migratory Applications

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... A **hop instruction** is used by agents to move from one site. to the next. ...

One possible application of cloning is in **debug**- ...

www.agent.ai/download.php?ctag=download&docID=722 - May 11, 2005 - [Similar pages](#)

[PDF] Migratory Applications

File Format: PDF/Adobe Acrobat

... The **hop instruction** can be programmed in Obliq as follows:. I.et hop =.

pmc (agentSerr ... One possible application of cloning is in **debug**- ...

portal.acm.org/ft_gateway.cfm?id=215711&type=pdf - [Similar pages](#)

Architectures for mobile agents

... A **hop instruction** is used by agents to move from one site to the next. ...

there is a LALO itself and also some simple examples and some **debug** tools. ...

www.ida.liu.se/labs/iislab/courses/Agents/paper/chapter4.html - 40k - [Cached](#) - [Similar pages](#)

[PDF] Towards Ubiquitous Environments for Mobile Users

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... This requirement is also similar to source code **debug**- ... agent executes a

hop instruction, the suitcase and the com-. putation's closure are migrated ...

www.dcs.st-and.ac.uk/research/publications/download/Dea98.pdf - [Similar pages](#)

[PDF] Animated 3D To Prepare Novices 1 Running Head: Animated 3D To ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the Loop instruction shown below executes a **Hop instruction** (a named ...
to watch what went wrong in their programs and easily **debug** and correct them. ...

www.sju.edu/~scooper/alice/scooper_csej.pdf - [Similar pages](#)

[PS] user interface to interact with users. A major advantage of four ...

File Format: Adobe PostScript - [View as Text](#)

... One possible application of cloning is in **debug**-ging. When a bug is encountered in

... If the **hop instruction** executes successfully, true is returned. ...

www.cc.gatech.edu/gvu/people/Phd/Krishna/Migration.ps.Z - [Similar pages](#)

package Darwin; // \$Id: DarwinConsts.java,v 1.34 1997/07/09 03:37 ...

... int NUMBER_OF_OPS = 10; /** The op code for the DULL **hop instruction** */ public final ...

in place of #ifdef blocks */ public static boolean **DEBUG** = true; /**@name ...

www.cs.duke.edu/~rodger/drool/pages/darwin/src/java/Darwin/DarwinConsts.java - 6k - Supplemental Result -
[Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed.

If you like, you can repeat the search with the omitted results included.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google